



www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

Datasheet

DINGLI JCPT1212AC Scissor Lifts

Brand: Dingli



Short Description

Dingli JCPT1212AC electric scissor lift with a maximum working height of 12.00m, platform height of 10.00m, and a safe working load of 320kg. It offers a 0.90m one-way platform extension and is drivable at full height.



www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394

VAT No: 312849650600003

4620 Street No. 10

3602 Al Jazirah Dist.

Riyadh 14262

Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤

الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣

٤٦٢٠ شارع رقم ١٠

٣٦٠٢ حي الجزيرة

الرياض ١٤٢٦٢

المملكة العربية السعودية

Full Description

Manufactured by ZHEJIANG DINGLI MACHINERY CO., LTD., the Dingli JCPT1212AC is an electric scissor lift designed for reliable indoor and outdoor access work. It combines a robust platform with user-friendly controls, making it suitable for a wide range of maintenance, installation, and construction tasks.

Key features include proportional joystick controls for precise positioning, self-locking gates for operator safety, and a one-way platform extension deck that increases reach. The lift is drivable at full height, enhancing productivity on site. Non-marking tyres allow use on sensitive floors, while two-wheel drive and steering provide maneuverability.

Safety systems such as automatic braking, emergency descent, tilt and motion alarms, and a platform load sense system ensure secure operation. Additional conveniences like onboard fault diagnostics, a flashing LED beacon, and foldable guard rails support efficient workflow. The JCPT1212AC is ideal for applications in warehousing, facilities maintenance, and construction.

Images





www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394

VAT No: 312849650600003

4620 Street No. 10

3602 Al Jazirah Dist.

Riyadh 14262

Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤

الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣

٤٦٢٠ شارع رقم ١٠

٣٦٠٢ حي الجزيرة

الرياض ١٤٢٦٢

المملكة العربية السعودية

Technical Specifications

DINGLI JCPT1212AC Scissor Lifts

Specification	Value
Manufacturer	ZHEJIANG DINGLI MACHINERY CO., LTD.
Country of Origin	China
Max. Working Height	12.00m
Max. Platform Height	10.00m
Overall Length	2.48m
Overall Width	1.15m
Overall Height(Rails Up)	2.49m
Overall Height(Rails Down)	1.96m
Platform Size(Length×Width)	2.27m×1.12m
Platform Extension Size	0.90m
Ground Clearance(Stowed/Raised)	0.10m/0.019m
Wheelbase	1.87m
Turning Radius(Inside/Outside)	0m/2.20m
Tyres	φ381×127mm
Travel Speed(Stowed)	5.0km/h
S.W.L On Extension	113kg
Max. Occupants (Indoor/Outdoor)	2/1
Gradeability	25%
Travel Speed(Raised)	0.8km/h
Max. Working Slope	X-1.5°/Y-3°
Up/Down Speed	54/45sec
Overall Weight	3060kg
Hydraulic Tank	20L
Lead-acid Battery	24V/200Ah
Lithium Battery	24V/220Ah
Charger	24V/30A
Driving Motor	2×15VAC/0.87kW
Lifting Motor	16VAC/3.5kW