



www.rjc.sa - info@rjc.sa

# رکاز الجودة للمقاولات العامة

## Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠١٧٥٨٨

VAT NO: 30114388870003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧

7279 Al Khobar Al Janubiyah

الخبر جنوبية ٧٢٧٩

5207 Al khobar 34622

الخبر ٣٤٦٢٢ ٥٢٧

Saudi Arabia

المملكة العربية السعودية

## Datasheet

### JLG Articulating Boom Lift 340AJ for Rent

Brand: JLG



#### Short Description

- Platform Height: 10.33 m
- Horizontal Outreach: 6.06 m
- Up and Over Reach: 5.17 m



www.rjc.sa - info@rjc.sa

# رکاز الجودة للمقاولات العامة

## Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠١٧٥٨٠٨

VAT NO: 30114388870003

الرقم الضريبي: ٣٠٠١٤٣٨٨٨٧

7279 Al Khobar Al Janubiyah

الخمر ٧٢٧٩

5207 Al khobar 34622

الخمر ٥٢٠٧

Saudi Arabia

المملكة العربية السعودية

### Full Description

#### JLG 340AJ Articulating Boom Lift for Rent

The JLG 340AJ is a compact and powerful articulating boom lift designed for tough outdoor job sites. With a platform height of **10.33 meters** and a horizontal outreach of **6.06 meters**, it offers excellent reach and maneuverability.

- **Platform Height:** 10.33 m
- **Horizontal Outreach:** 6.06 m
- **Up and Over Reach:** 5.17 m
- **Platform Capacity:** 227 kg
- **Drive Speed (4WD):** 4.98 km/h
- **Gradeability:** 45%
- **Power Options:** Dual Fuel / Diesel
- **Tires:** Foam-filled / Solid / Turf

Ideal for general contractors, painters, steel erectors, and stadium construction. Built with a durable steel hood and advanced controls for safe, efficient operation.

### Images





www.rjc.sa - info@rjc.sa

# رکاز الجودة للمقاولات العامة

## Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 30114388870003

7279 Al Khobar Al Janubiyah

5207 Al khobar 34622

Saudi Arabia

السجل التجاري: ٤٠٨٠٨٠٨

الرقم الضريبي: ٣٣٤٣٨٨٨٧

٧٢٧٩ الخبر جنوبية

٣٤٦٣٢٢ الخبر ٥٢٧

المملكة العربية السعودية

## Technical Specifications

### JLG Articulating Boom Lift 340AJ for Rent

Specification	Value
Platform Height	10.33 m
Horizontal Outreach	6.06 m
Up and Over Reach	5.17 m
Platform Capacity	227 kg
Swing	355° Non-Continuous
Platform Rotator	180° Hydraulic
Jib Length	1.22 m
Jib Articulation	139° (+79°)
Weight	4615 kg
Max Ground Pressure	4.3 kg/cm <sup>2</sup>
Drive Speed (4WD)	4.98 km/h
Tilt Cut Out	4°
Gradeability (4WD)	45%
Turning Radius Inside	1.52 m
Turning Radius Outside	3.96 m
Fuel Tank Capacity	49.21 L
Hydraulic Capacity	77.9 L
Auxiliary Power	12V DC
Platform Width	0.76 m
Platform Length	1.22 m
Machine Width	1.93 m
Tailswing	5.08 cm
Machine Height	2 m
Machine Length	5.52 m
Wheelbase	1.87 m
Ground Clearance	23.7 cm