



www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394

VAT No: 312849650600003

4620 Street No. 10

3602 Al Jazirah Dist.

Riyadh 14262

Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤

الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣

٤٦٢٠ شارع رقم ١٠

٣٦٠٢ حي الجزيرة

الرياض ١٤٢٦٢

المملكة العربية السعودية

Datasheet

Rental Dingli 0807AC Electric Scissor Lift

Brand: Dingli



Short Description

Electric scissor lift with 7.8 m working height, 5.8 m platform height, 230 kg platform capacity, and non-marking tyres.



www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394

VAT No: 312849650600003

4620 Street No. 10

3602 Al Jazirah Dist.

Riyadh 14262

Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤

الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣

٤٦٢٠ شارع رقم ١٠

٣٦٠٢ حي الجزيرة

الرياض ١٤٢٦٢


المملكة العربية السعودية

Full Description

Manufactured by Dingli, the 0807AC is a compact electric scissor lift designed for efficient indoor and outdoor work at height. Its electric drive ensures quiet, emission-free operation, making it suitable for sensitive environments. The lift features a platform extension for added reach and non-marking tyres that protect finished floors. Typical applications include maintenance, installation, and construction tasks in warehouses, retail spaces, and commercial buildings.

Images





C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

٧٠٥٥-٦٨٣٩٤ السجل التجاري:
٣١٢٨٤٩٦٥٠٦٠٠٠٣ الرقم الضريبي:
١٠٤٦٢ شارع رقم
٣٦٠٢ حي الجزيرة
الرياض ١٤٣٦٢
المملكة العربية السعودية

Rental Dingli 0807AC Electric Scissor Lift

Specification	Value
Platform Capacity	230 kg
Working Height	7.8 m
Platform Height	5.8 m
Extension Deck Capacity	113 kg
Platform Dimensions	1.64 m × 0.76 m
Overall Length	1.86 m
Overall Width	0.76 m
Overall Height (Guardrails Up)	2.15 m
Overall Height (Guardrails Down)	1.75 m
Ground Clearance (Stowed)	60 mm
Ground Clearance (Elevated)	19 mm
Turning Radius (Inside/Outside)	0 / 1.64 m
Tyres (Non-marking)	305 × 115 mm
Operating Weight	“1
Travel Speed (Stowed)	4.0 km/h
Travel Speed (Elevated)	0.8 km/h
Gradeability	25%
Max Working Slope	“2° front/back
Battery	24V/135Ah
Battery Charger	24V/15A
Platform Extension	0.9 m