www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

Datasheet

Komatsu PC200 Excavator for Rent

Brand: Komatsu

- **Year of manufacture:** 2011
- Rate excludes accommodation, transportation, and diesel
- Transport/mobilization is charged separately and varies by rental period

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

2011 Komatsu PC200 hydraulic crawler excavator, 20-ton class, available for short- or long-term rental in KSA. Suits earthworks, trenching, backfilling, and truck loading on civil and infrastructure jobs.

Key features

- Komatsu SAA6D102E-2, 143 HP net @ 1,950 rpm
- HydrauMind load-sensing hydraulics for smooth multi-function control
- 5.7 m boom with 2.9 m or 2.41 m arm options
- Bucket capacity range 0.48–1.53 m³; typical GP bucket ~0.8 m³
- Travel speeds up to 5.5 km/h; swing speed 12.4 rpm
- Operating weight ~20 t for stable digging and lifting

Attachments and setup

- GP bucket as standard
- Other buckets and breaker piping subject to availability
- 700 mm or 800 mm triple-grouser shoes depending on site conditions

Rental scope and terms

- Rate excludes accommodation, transportation, and diesel
- Transport/mobilization is charged separately and varies by rental period
- Operator, fuel service, and preventive maintenance packages available on request
- Daily, weekly, and monthly plans supported

Ideal applications

- Excavation, trenching for utilities, footing preparation, stockpile handling, and general site prep

Notes

- Year of manufacture: 2011
- Detailed spec sheet and lifting charts available on request
- Units are delivered inspected and ready for site deployment

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.
C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia
السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية
www.rjc.sa - info@rjc.sa

Technical Specifications

Komatsu PC200 Excavator for Rent

Specification	Value
Manufacturer	Komatsu
Model	PC200-7
Country of Origin	Japan
Machine type	Hydraulic crawler excavator
Bucket capacity range	0.48 – 1.53 m³ (0.63 – 2.0 yd³)
Boom Length	5.7 m
Max reach at ground	"9
Cooling system capacity	22.4 L
Overall Length	"9
Overall Width	"3
Ground clearance (counterweight / min)	"1
Operating weight (700 mm shoes)	"19
Operating weight (800 mm shoes)	"20
Arm length options	2.410 m or 2.925 m
Max dumping height	"6
Shoe width options	700 mm or 800 mm triple-grouser
Cab height	"3
Track length on ground	"3
Track gauge	"2
Travel Speed	5.5 / 4.1 / 3.0 km/h
Rated speed	1950 rpm
Relief pressures	Implement 37.3 MPa; Travel 37.3 MPa; Swing 28.9 MPa; Pilot 3.2 MPa
Engine	"6-cyl
Engine Model	Komatsu SAA6D102E-2
Displacement	5.88 L
Power (net)	106.6 kW @ 1950 rpm
Power (gross)	111.9 kW @ 1950 rpm (SAE J1995)
Hydraulic system	"HydrauMind closed-center
Main pump max flow	428 L/min (113 US gpm)
Arm crowd force (Power Max)	2.410 m arm: 124–127 kN; 2.925 m arm: 101–108 kN

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

Specification	Value
Bucket digging force (Power Max)	SAE 138 kN; ISO 149 kN
Fuel capacity	400 L
Hydraulic Tank Capacity	143 L
Engine oil capacity	24.0 L
Swing drive oil	6.6 L
Final drive oil (each)	4.5 L
Standard equipment (abridged)	A/C with defroster; Auto-Decel; engine warm-up; water separator; double-element air cleaner; 50 A alternator; 24 V starter; boom/arm holding valves; multi-function color monitor; PPC pilot controls; counterweight; fan guard; travel alarm; RH boom and cab
Optional equipment (examples)	2.410 m or 2.925 m arms (std/HD with piping); 5.7 m boom (std/HD with piping); 700 mm shoes; cab guards; sun/rain visors; high-ambient spec; full-length track roller guards; 12 V converter; track frame undercover
Emissions	EPA Tier 2
Working modes	"4 modes: A (Active)
Max drawbar pull	178 kN
Max digging depth	"6
Undercarriage	X-frame; box-section track frames; sealed tracks; hydraulic adjusters
Tail swing radius	"2
Rollers per side	Track rollers: 7; Carrier rollers: 2